


— N° 1 —



#2

9+12


Iuri Fokin & Iuri Sushkov

1ste plaats *Letland-Leningrad*, 1978

1. $\mathbb{Q}c3!$ 5,0

* 1. c3? $\mathbb{W}c7!$; 1. $\mathbb{Q}ac3?$ $\mathbb{Q}ac7!$; 1. $\mathbb{Q}bc3?$ $\mathbb{Q}bc7!$

— N° 2 —



#3


10+7

Reindi K. Mindadze & Nikolay Rezvov

2de prijs *Shakhmaty Vestnik*, 1992

1. $\mathbb{W}f6!$ ($> 2. \mathbb{Q}h6$) 0,5 + 0,5
 1... $\mathbb{R}3xe5+$ 2. $\mathbb{Q}h4$ 1,0
 1... $\mathbb{R}8xe5+$ 2. $\mathbb{Q}h6$ 1,0
 1... b4 2. $\mathbb{R}c4+$ 1,0
 1... $\mathbb{Q}a5/\mathbb{Q}d8$ 2. $\mathbb{W}b6+$ 1,0

— N° 3 —



#4


12+10

V. Pauk & Y. Zemtsov

2de eervolle vermelding *Speckmann MT (sectie 2)*, 2003

1. $\mathbb{Q}h6!$ ($> 2. d4+ \mathbb{Q}xd4/\mathbb{W}xd4 3. \mathbb{W}xg5+$) 1,0 + 1,0
 1... $\mathbb{W}b3$ 2. $\mathbb{Q}c5+$
 2... d5 3. axb3 0,5
 2... dxcc5 3. $\mathbb{W}xc5+$ 0,5
 1... $\mathbb{W}xe4$ 2. $\mathbb{Q}c4+$
 2... $\mathbb{Q}d5$ 3. $\mathbb{Q}c7+$ 0,5
 2... $\mathbb{Q}f5$ 3. $\mathbb{W}f3+$ 0,5
 1... $\mathbb{Q}xe4$ 2. $\mathbb{Q}c6+$ $\mathbb{Q}f5$ 3. $\mathbb{W}f3+$ 1,0

— N° 4 —



=


3+4

Martin Minski

Original for *Vratnica*, 2017

- | | |
|---|-----|
| 1. ♕c1 | 1,5 |
| 1... ♕c3 2. ♔f3 ♕d4 3. ♔h6 | 1,5 |
| 3... gxh6 4. f6 | 1,0 |
| 4... ♔f2 5. f7 ♕c5 6. f8= ♕xf8 7. ♔xf2 =..... | 1,0 |
| * 1. ♕g5? ♔f2+! 2. ♔h5 ♕e4-+; 1. ♕b6? ♕c3! 2. ♔f3 ♕e5-+; | |
| 1. ♕h6? gxh6-+; 1. ♔f3? ♕g3!-+ | |
| * 1... ♔f2+ 2. ♔h5 ♕e4 3. ♕b2!= (3. ♕g6? ♕c2! 4. ♔f4 ♕c3-+) ; | |
| 1... ♕e4 2. ♕b2= | |
| * 3. f6? gxf6-+; 3. ♕g2? ♔f2-+ | |
| * 3... ♔f2 4. ♕xg7= | |
| * 4. ♕g2? ♔f2-+ | |
| * 4... ♕xf6 5. ♕g2= | |

— N° 5 —



H#6,5


2+9

Noam Livnat

3de prijs *StrateGems*, 2000

- | | |
|---|-----|
| 1... ♔f7 2. ♕e3 ♕xh6+ 3. ♕h8 ♕g8 4. ♕h6 ♔f6 | |
| 5. ♕g8 ♕xh7 6. ♕g7 ♔f8 7. ♕h7 ♕g6# | 5,0 |

— N° 6 —



S#3


7+12

M. Khramchevich

2de prijs *Kopyl 50 JT*, 2008

- | | |
|--|-----|
| 1. ♔a2! | 1,0 |
| >2. ♕d2+ ♕xd2+ 3. ♕e3+ (♕xe3#) | 1,0 |
| 1... ♕xf2 2. ♕d5+ ♕d4 3. ♕xe4+ (♕xe4#) | 1,0 |
| 1... gxf2 2. ♕xe4+ ♕d4 3. ♕d2+ (♕xd2#) | 1,0 |
| 1... ♕xf5 2. ♕e3+ ♕xe3 3. ♕d5+ (♕xd5#) | 1,0 |

— N° 7 —



#2


8+10

Cor Goldschmeding

2de eervolle vermelding *Tijdschrift KNSB*, 1960

1. $\mathbb{Q}d2!$ 5,0

— N° 8 —



#3


10+7

Alexander Shoshin

2de prijs *Shakhmatnoe obozrenie*, 1902

1. $\mathbb{Q}f5!$ (> 2. $\mathbb{W}d7$) 0,5 + 0,5
 1... $\mathbb{Q}b4$ 2. $\mathbb{W}c4+$ 1,0
 1... $\mathbb{Q}e6$ 2. $\mathbb{W}f7+$ 1,0
 1... $\mathbb{Q}a6$ 2. $\mathbb{Q}e4$ 1,0
 1... $\mathbb{Q}a7/\mathbb{Q}e7$ 2. $\mathbb{Q}e3+$ 0,5
 1... $\mathbb{Q}xd6$ 2. $\mathbb{W}xd6+$ 0,5

— N° 9 —



#8


7+8

Gunther Jahn

1ste eervolle vermelding *Schweizer Schach-Magazin*, 1992

1. $\mathbb{Q}c4$ bxc4 2. $\mathbb{Q}h4$ c3 3. $\mathbb{Q}e8$ c2 4. $\mathbb{Q}f4$ $\mathbb{Q}xe2$
 5. $\mathbb{Q}b5+$ $\mathbb{Q}d1$ 6. $\mathbb{Q}g3$ $\mathbb{Q}e1$ 7. $\mathbb{Q}f3+$ 5,0

— N° 10 —




V.N. Kondratev

2de prijs *Chervoni Girnik*, 1984

1. $\mathbb{Q}d4+$ $\mathbb{Q}b5$ 2. $\mathbb{Q}xe2$ 1,0
 2... $\mathbb{Q}c6$ 3. $\mathbb{Q}b4$ 2,0
 3... $\mathbb{W}xb4$ 4. $\mathbb{Q}d4+$ $\mathbb{Q}d6$ 5. $\mathbb{Q}h2+$ $\mathbb{Q}c5$ 6. $\mathbb{Q}g1$ 1,0
 6... $\mathbb{W}xd4$ 7. $b4+$ 1,0
 7... $\mathbb{Q}c4$ 8. $\mathbb{Q}xd4$ $\mathbb{Q}xd4$ 9. $\mathbb{Q}c7$ $\mathbb{Q}c4$
 10. $\mathbb{Q}c6$ $d4$ 11. $b5$ =

- * 1. $\mathbb{Q}xe2?$ $\mathbb{W}a6+$
 * 1... $\mathbb{Q}c5$ 2. $\mathbb{Q}a4+$ $\mathbb{Q}b5$ 3. $\mathbb{Q}xc2!$ (3. $\mathbb{Q}xa3?$ $e1\mathbb{W}$)
 * 2. $\mathbb{Q}xd5+?$ $\mathbb{Q}c6$
 * 3. $\mathbb{Q}b8?$ $\mathbb{W}f8+$ 4. $\mathbb{Q}a7$ $\mathbb{W}e7+$
 * 3... $\mathbb{W}a8+$ 4. $\mathbb{Q}b8$ $\mathbb{W}a6+$ 5. $\mathbb{Q}d8$
 * 7. $\mathbb{Q}xd4+?$ $\mathbb{Q}xd4$

— N° 11 —



Valery Gurov


4de eervolle vermelding *Kopyl 50 JT*, 2008

a)

1. $\mathbb{Q}xc6+$ $\mathbb{Q}c6$ 2. $\mathbb{Q}f3$ $\mathbb{Q}b4$ 3. $\mathbb{Q}e4$ $\mathbb{Q}xc4\#$ 2,5
 b)

1. $\mathbb{Q}xc5+$ $\mathbb{Q}d4$ 2. $\mathbb{Q}g5$ $\mathbb{Q}d5+$ 3. $\mathbb{Q}f5$ $\mathbb{Q}xd7\#$ 2,5

— N° 12 —



Waldemar Tura

1ste prijs *Problemista 25 TT*, 1996

1. $\mathbb{Q}a4!$ 1,0
 > 2. $\mathbb{Q}c2+$ $\mathbb{Q}xc2$ 3. $\mathbb{Q}b4+$ $\mathbb{Q}xb4$ 4. $\mathbb{Q}b6+$
 ($\mathbb{Q}xc6\#$). 1,0
 1... $g1\mathbb{W}$ 2. $\mathbb{Q}b4+$ $\mathbb{W}c5$ 3. $\mathbb{W}d5+$ $\mathbb{W}xd5$ 4. $\mathbb{Q}xb5+$
 ($\mathbb{W}xb5\#$). 1,0
 1... $g1\mathbb{Q}$ 2. $\mathbb{Q}b6+$ $\mathbb{Q}c5$ 3. $\mathbb{W}e6+$ $fxe6$ 4. $\mathbb{Q}b4+$
 ($\mathbb{Q}xb4\#$). 1,0
 1... $\mathbb{Q}f3$ 2. $\mathbb{W}e4+$ $\mathbb{Q}d4$ 3. $\mathbb{Q}b6$ ~ 4. $\mathbb{W}c6+$
 ($\mathbb{Q}xc6\#$). 1,0

Problems Difficulty (11 Solvers)

| ID | Tag | Average | 5(Correct Solution) | 0 < Pts. < 5 | 0 (Wrong Solution) | - (No Solution) |
|-----------|------------|----------------|----------------------------|---------------------------|---------------------------|------------------------|
| 4 | = | 0.00 | 0 | 0 | 10 | 1 |
| 9 | #8 | 0.91 | 2 | 0 | 7 | 2 |
| 3 | #4 | 1.27 | 1 | 3 | 4 | 3 |
| 10 | = | 1.55 | 3 | 2 | 4 | 2 |
| 5 | h#6,5 | 1.82 | 4 | 0 | 3 | 4 |
| 12 | s#4 | 1.82 | 4 | 0 | 3 | 4 |
| 11 | h#3 | 2.73 | 6 | 0 | 1 | 4 |
| 8 | #3 | 3.36 | 5 | 3 | 2 | 1 |
| 6 | s#3 | 3.55 | 7 | 1 | 0 | 3 |
| 2 | #3 | 3.64 | 4 | 5 | 0 | 2 |
| 7 | #2 | 4.09 | 9 | 0 | 2 | 0 |
| 1 | #2 | 5.00 | 11 | 0 | 0 | 0 |