



26 ΜΑΡΤΙΟΥ 2017

ΓΥΡΟΣ 1^{ος} ΛΥΣΕΙΣ




M Kovacevic
Шахматная композиция 2013, 1 Prize

1.Re2-f2 ! (5) threat 2.Sh4-g6 #




A Grinblat
Шахматная композиция 2014

1.Sf2-d3 ! threat 2.Ka2-b3 (2)
1...Bh1-f3 2.Sd3-f4 + (1)
1...Sa3-b1 2.Sd3-b4 + (1)
1...g6*h5 2.Bc8-f5 (1)




Fomichev , Kostilev & Melnichuk
Springaren 2016

1.c4 ! (2.Qd1-d7 ! (3.Qd7-c7 #) Ra7 3.Qxc6 Re7+ 4.Kxe7 Bxc4 5.Qd6/Sg4)
1...Rxc4 2.Sh4-g6 + ! (2.Sf2-g4+? Rxc4!) Ke5-f5 3.Sg6-e7 + Kf5-e5 4.Se7*c6
+ Ke5-f5 5.Sc6-e7 + (2.5)
1...Bxc4 2.Sf2-g4 + ! Ke5-e4 3.Sg4*f6 + Ke4-e5 4.Sf6-d7 + 4...Ke5-e4 /
4...Ke5*e6 5.Sd7*c5 + (2.5)
Not 1.Qd1-d7 ? Rxh4!




P Murashev
Ukrainian Problemist 2015

1. Sf6!(1) d2 2. Se4 d1=S 3. b4(1) Sb2 4. b5 Sc4 5. Sd2 !! (1) (5. Kb7 ?
Kg4/Sa3 =) 5... Sxd2 (5... Sd6 6. b6 Kg4 7. Se4+-) 6. b6 Sc4 7. b7 Sb6+ 8.
Kb8 (1) (8. Ka7 ?? Sd7=) 8... Sd7+ 9. Kc8 (1) +- (9.Kc7? Sc5 10.b8=Q Sa6+ =)



V Koci
Best Problems 2015

1.Bd4-e5 Bf5-e4 + 2.Kd5-d4 Be4-c6 3.Bh5-g6 Sf8*e6 # (2.5)
1.Rh7-d7 Bf5-h3 2.Rd7-d6 Sf8-d7 3.Sh2-g4 Bh3-g2 # (2.5)




G Kozura & V Kopyl
Phenix 2015

1.d4-d5 ! zugzwang.
1...a6-a5 2.Rh2-h3 a5-a4 3.Ke3-d4 a4-a3 4.Kd4-e5 a3-a2 5.Qg6*g7 (2.5)
1...a6*b5 2.Sa1-b3 b5-b4 3.Ke3-d2 Kg4-f3 4.Qg6-d3 + Kf3-g4 5.Bf1-e2 + (2.5)

26 ΜΑΡΤΙΟΥ 2017

ΓΥΡΟΣ 2^{OS} ΛΥΣΕΙΣ

1




#2 (9+10)

P Murashev
Шахматная композиция 2016

1.Ra5*f5 ! (5) threat 2.Qb3-e6 #


2



#3 (7+8)

V Schiffer
Ces. listy sachove, 1900
1.Be5-g3 ! threat: 2.Qg8-e8 + (2)
1...Rg2*e2 2.Qg8-d5 + (1)
1...Ke4-d4 2.Se3-f5 + (1)
1...Ba7*e3 2.Qg8-a8 + (1)

3




#4 (4+3)

E Bogdanov
1 Prize Politika 2000

1.Sc7-d5 ! threat 2.Qf3-f4 + Ke5-e6 3.Qf4*f6 #
1...Ke5-d6 2.Qf3*f6 + Kd6-c5 3.Kh1-h2 (2.5)
1...f6-f5 2.Qf3-e3 + Ke5-d6 3.Bc6-b7 (2.5)
1...Ke5-d4 2.Qf3-e3 + Kd4-c4 3.Qe3-c3 #


4



= (8+4)

Katsnelson & L Sochnev
1.Prize Tolush 100 MT 2011
1.f3(1) [1.f4 ? 1...Ke2 2.Bg1 (2.c4 h3 3.Bg1 Kf1 4.c5 Kxg1 5.f8Q Kf2) 2...Kf1 3.Bh2 h3 4.a4 g1Q 5.Bxg1 Kxg1 6.c3 Bc5 7.a5 h2 8.a6 h1Q 9.f8Q Qxe4+ -+] 1...Ke2 2.Bg1 Kf1 3.Bh2 h3 [3...Ba3 4.c4 g1Q 5.Bxg1 Kxg1 6.d4 Be7 7.c5 =] 4.a4 (1) [4.c3 ? 4...Ba3 -+] 4...g1Q 5.Bxg1 Kxg1 6.c3(1) [6.a5? h2 7.a6 h1Q 8.f8Q Bxf8 9.a7 Kf2+ 10.Ka2 Qc1 11.a8Q Qxc2+ 12.Ka1 Bg7+] 6...Bc5 7.a5(1) [7.d4 ? 7...Be7 8.a5 h2 9.a6 h1Q 10.f8Q Bxf8 11.a7 Kf2+ 12.Ka2 Qc1 13.a8Q Qc2+ 14.Ka1 Qxc3+ 15.Ka2 (15.Kb1 Qb3+ 16.Ka1 Ba3) 15...Qc2+ 16.Ka1 Bb4] 7...h2 8.a6 h1Q 9.f8Q Bxf8 10.a7 Kf2+ 11.Ka2 [11.Kb2 ? 11...Ba3+] 11...Qc1 12.a8Q (1) =

5



h#5 2.1.1.1 (2+5)

M Rimkus
Best Problems 2015

1.Be5-c3 Sb3-a1 2.Rb7-d7 + Ka8-b8 3.Rd7-d3 Kb8-c7 4.Ke4-d4 Kc7-d6
5.Bc6-e4 Sa1-c2 # (2.5)

1.Rb7-b5 + Ka8-a7 2.Rb5-d5 Sb3-d2 + 3.Ke4-d4 Ka7-a6 4.Kd4-c5 Ka6-a5
5.Be5-d4 Sd2-e4 # (2.5)

6



s#3 (13+9)

M .Marandyuk, I. Soroka
Uralsky Problemist 2008

1.Qb4-e7 ! threat 2.Sc6-b4 + Kd5-d4 + 3.Qe7-e4 + (1)
1...Ra6*c6 2.Rg6-d6 + Rc6*d6 3.Qe7-e5 + (1)
1...Ba8*c6 2.Qe7-e6 + Kd5-d4 + 3.Qe6-e4 + (1)
1...Sb8*c6 2.Sa4-c3 + Kd5-d4 3.Qe7*g7 + (1)
1...Qc8*c6 2.Rg6*g5 + Kd5-d4 + 3.Qe7-e4 + (1)

Problems Difficulty (12 Solvers)

ID	Tag	Average	5(Correct Solution)	0 < Pts. < 5	0 (Wrong Solution)	- (No Solution)
6	S#5	0.00	0	0	3	9
10	eg	0.17	0	2	3	7
9	#4	1.04	2	1	3	6
8	#3	1.83	4	1	3	4
5	H#3	1.88	2	5	2	3
2	#3	2.00	4	2	3	3
4	eg	2.00	1	11	0	0
3	#6	2.08	5	0	2	5
11	H#5	2.29	5	1	1	5
12	S#3	2.83	6	1	0	5
1	#2	3.33	8	0	4	0
7	#2	3.75	9	0	1	2