


20 minutes

ECSC Vilnius – 27.-28. 4. 2013

A



#2

(9+11)

M. Wrobel

3. Pr. F. Lazard MT 1949-50

1.e7 zz


5 points

1. - ♖a~, ♖e~, ♖xc6, ♖c7, ♖f8, f4, g4

2. ♖b5, ♖d7, e8♖, ♖b4, exf8♖/♕, ♖e4, ♖f4#

1. ♖b6? ♖c7!, 1. ♖b3(c4)? a2!, 1. ♖g7? g4!, 1. ♖xg2? ♖xc6+!

B



#2

(11+10)

G. Latzel

1. Pr. Lippische Landeszeitung 1950

1. ♖xc5


5 points

thr. 2. ♖d3/♖xd7#

1. - dxc5, ♖b5, ♖xf5 2. ♖c7, ♖b2, ♖f7#

1. ♖d2? g4!, 1. ♖f2? c4!, 1. ♖xd6? ♖e6!, 1. ♖f6? ♖xa4!, 1. ♖xg5? ♖b3!

C



#2

(12+14)

M. Vukčević

2. HM Probleemblad 1962

1. ♖e4

5 points


thr. 2. ♖xd5/♖xe3#

1. - ♖d6, ♖/♘d6 2.cxb5, ♖c6#

1. ♖d6? ♖e4!, 1. ♖d6? ♖e4!, 1. ♖e7? dxc4!

60 minutes

D



ECSC Vilnius – 27.-28. 4. 2013

A. Galickij
Dtsch. Schachzeitung 1890

1. ♔g5 zz

1. - ♕xg5 2. ♔xd6+ ♔e4, ♔d5 3. ♔d3, ♕xd5#

1. - ♕xc5 2. ♕e3+ ♔xe3 3. ♔ge6#

1. - ♕e5 2. ♕d5+ ♔xd5 3. ♔ce6#

1. - dxc5 2. ♕e4+ ♔xe4 3. ♔f3#

1. - d5 2. ♕f6+ ♔xc5, ♔e5 3. b4, ♔ce6#

1. - gxf2 2. ♕f6+ ♔e5, ♔e3, ♔xc5 3. ♕xf2, ♕c3, ♔ge6/b4#


1. - ♔d~ 2. ♕e4+ ♔xc5 3. ♕b4/♔ge6/b4#

(some dual 2. ♔f3+ ♔xc5 3. b4#)

variations 1 2 3 4 5 6 7

points 0,75 1,5 2,25 2,75 3,5 4,25 5

E



V. F. Rudenko
after D. Kutzborski, Presledovanie Temy 1983

1. ♔h7

thr. 2. ♕e8+ ♕e6, ♕e5 3. ♕f4, ♕/♔xe6#

1. - ♕hf5 2. ♔c3 ~, ♕xf2, ♔xc3 3. ♔d2, ♕e5, ♔xc3#

1. - ♕ff5 2. ♔c3 ~, ♕d5, ♔xc3 3. ♔d2, ♕f4, ♔xc3#

1. - ♕xh7 2. ♕xa5 ~ 3. ♕d5/♔c3/♔d2#


1. - ♕f8 2. ♕e7+ ♕e5 3. ♕xe5#

1. - ♔f7 2. ♔xg6+ ~ 3. ♕f4#

variations 1 2 3 4 5 6

points 0,75 1,75 2,5 3,25 4,25 5

F



M. Niemeijer
Czechoslovakia - Nederlands, De Maasbode 1928

1. ♔h8

thr. 2. ♔xc6+ ♕xc6 3. ♔g7#

1. - ♔cxe4 2. ♔ce2 ~, ♔xd3/♔h3 3. ♕xf4, ♕xe4#

1. - ♔fxe4 2. ♔de2 ~, ♔xd3/♔xe6 3. ♕xf4, ♕xe4#

1. - ♔cxsd3 2. e7 ~, ♔g4, ♔fxe4, ♔e6 3. ♔g7, ♔xd3, ♔xd3/♔xe4, ♔xe6#

1. - ♔fxd3 2. ♕g4 ~, f3, ♔cxe4, ♔xe6/d7 3. ♕g7, ♔xf3, ♔f3/♔xd3, ♔xd3#

1. - ♔xe6 2. ♔xe6 ~, ♔xd3 3. ♔d6/♔g7/♔xf4, ♔xd3#

1. - ♔g4 2. ♔de2 ~, ♔xh6, ♔xd3 3. ♔d6/♔xf4, ♔g7, ♔xd3#

1. - ♔d7 2. exd7/♔de2

variations 1 2 3 4 5 6 7 8

points 0,75 1,25 2 2,5 3,25 3,75 4,5 5

50 minutes

J



4.1.1.1
each solution = 1,25 points

ECSC Vilnius – 27.-28. 4. 2013

Ch. Jonsson

2. Pr. Thema Danicum 1993 (*mirrored*)

1. ♕xg5 ♖f7 2. ♔xe3 ♖xg5#

1,25 points

1. ♗xd7 ♖f5 2. ♔xd3 ♖d6#

1,25 points

1. ♗xg6 ♖e7 2. ♔xd3 ♖d5#

1,25 points

1. gxh6 ♗c2 2. ♔xc3 ♖c7#

1,25 points

solutions	1	2	3	4
points	1,25	2,5	3,75	5

K



3.1.1...

solutions	1	2	3
points	1,75	3,25	5

E. Petite

The Problemist 11/2004 (*mirrored*)


1. ♖b4 ♖d7 2. ♖c3 axb4 3. ♖d4 ♖xf4#

1. ♖xa4 ♖a7 2. ♖d4 ♖xa4+ 3. ♖d5 ♖xf4#

1. ♖xd3 ♖f8 2. ♖e4 ♖xg4 3. ♖f5 ♖xf4#

solutions	1	2	3
points	1,75	3,25	5

L



3.1.1...

solutions	1	2	3
points	1,75	3,25	5

J. Pogats

Suomen Tehtäväniekat 1994 (*mirrored*)

1. ♖e3 dxе3 2. ♖f3 exd4 3. ♖e2 d5

4. ♖d1 d6 5. ♖c2 d7 6. ♖d1 dxс8 ♖/♖#

1. ♖xb2+ ♖xb2 2. ♖e1 ♖b1 3. ♖ee3 ♖a3

4. ♖d4 dxе3+ 5. ♖c3 ♖c1 6. ♖c4 ♖b2#


1. ♖c3 bxc3 2. b2+ ♖xb2 3. ♖b3 c4

4. ♖d4 ♖xb3 5. a4+ ♖xb4 6. ♖e4 ♖b2#

solutions	1	2	3
points	1,75	3,25	5

80 minutes

M



#4

(12+13)

ECSC Vilnius – 27.-28. 4. 2013

J.-P. Boyer

1. Pr. Europe Echecs 1978 (*mirrored*)

1. $\mathbb{Q}d2$

thr. 2. $\mathbb{Q}d3+$ $\mathbb{N}xd3$ 3. $\mathbb{Q}e2+$ $\mathbb{N}e3$ 4. $\mathbb{Q}xe3\#$

1. - $cxd2$ 2. $\mathbb{Q}c5+$ $\mathbb{Q}d4+/ \mathbb{Q}e3+$ 3. $\mathbb{Q}xb7+$ $\mathbb{Q}e4$ 4. $\mathbb{Q}d6\#$

1. - $\mathbb{N}f6$ 2. $\mathbb{Q}xf6+$ $\mathbb{Q}f5+$ 3. $\mathbb{Q}d5+$ $\mathbb{Q}xg6/ \mathbb{Q}e,g4$ 4. $\mathbb{Q}f6,$ $\mathbb{Q}d4\#$

1. - $\mathbb{N}xe5$ 2. $\mathbb{Q}d4+$ $\mathbb{Q}e3+$ 3. $\mathbb{Q}d5+$ $\mathbb{Q}e4$ 4. $\mathbb{Q}xe5\#$


1. - $\mathbb{N}e2$ 2. $\mathbb{Q}xe2+$ $\mathbb{Q}d3+$ 3. $\mathbb{Q}g2+$ $\mathbb{Q}e4$ 4. $\mathbb{Q}xg4\#$

1. - $\mathbb{N}f2+$ 2. $\mathbb{Q}fxf2$ (3. $\mathbb{Q}f6\#$) $\mathbb{Q}xg6/ \mathbb{Q}d,f,h8$ 3. $\mathbb{Q}d3+$ $\mathbb{N}xd3$ 4. $\mathbb{Q}de2\#$

variations 1 2 3 4 5 6

points 0,75 1,75 2,5 3,25 4,25 5

N



#5

(9+14)

F. Metzenauer

Die Schwalbe 1949

1. $\mathbb{Q}d1$

thr. 2. $\mathbb{Q}xc4+$ $\mathbb{Q}f3$ 3. $\mathbb{Q}d3+$ $\mathbb{Q}e3$ 4. $\mathbb{Q}xe3\#$

1. - $\mathbb{Q}b5$ 2. $\mathbb{Q}c1$ (thr. 3. $\mathbb{Q}g4+$ $\mathbb{Q}d3$ 4. $\mathbb{Q}e5\#$) $\mathbb{Q}c6$ 3. $h5\,zz$

3. - $\mathbb{Q}b\sim$ 4. $\mathbb{Q}fe4+$ $\mathbb{Q}d3$ 5. $\mathbb{Q}xc5\#$ 1,25 points

3. - $\mathbb{Q}c\sim$ 4. $\mathbb{Q}g4+$ $\mathbb{Q}d3$ 5. $\mathbb{Q}e5\#$ 1,25 points


3. - $\mathbb{Q}g\sim$ 4. $\mathbb{Q}h3+$ $\mathbb{Q}d3$ 5. $\mathbb{Q}f4\#$ 1,25 points

3. - $a2$ 4. $\mathbb{Q}d1+$ $\mathbb{Q}d3$ 5. $\mathbb{Q}b2\#$ 1,25 points

variations 1 2 3 4

points 1,25 2,5 3,75 5

O



#6

(13+14)

P. J. Rantanen

21. pl. 1. WCCT 1972-75 (*mirrored*)

1.a5

thr. 2. $\mathbb{Q}b2+$ $\mathbb{Q}xc5$ 3. $\mathbb{Q}a4\#$

1. - $\mathbb{Q}e4$ 2. $\mathbb{Q}fxg3$ (thr. 3. $\mathbb{Q}e\sim\#$) $\mathbb{Q}f5$ 3. $\mathbb{Q}df2+$ $\mathbb{Q}xg5$


4. $\mathbb{Q}e4+$ $\mathbb{Q}f5$ 5. $\mathbb{Q}d6+$ $\mathbb{Q}g5$ 6. $\mathbb{Q}f7\#$ 2,5 points

1. - $\mathbb{Q}b6$ 2. $\mathbb{Q}b4+$ $\mathbb{Q}xc5$ 3. $\mathbb{Q}xb7$ (thr. 4. $\mathbb{Q}a6\#$) $\mathbb{Q}xb7$

4. $\mathbb{Q}d3+$ $\mathbb{Q}d4$ 5. $\mathbb{Q}f4+$ $\mathbb{Q}c5$ 6. $\mathbb{Q}xe6\#$ 2,5 points

50 minutes

P



S#2

(8+13)

ECSC Vilnius – 27.-28. 4. 2013

U. Degener

2. Pr. The Problemist 1994

1. $\mathbb{W}f7$

thr. 2. $\mathbb{Q}gf3+$ $\mathbb{K}xf3\#$

1. - $\mathbb{Q}xd3$ 2. $\mathbb{Q}ef3+$ $\mathbb{K}xf3\#$

1. - $\mathbb{Q}f4$ 2. $\mathbb{W}xf4+$ $\mathbb{K}e4\#$

1. - $\mathbb{Q}c6$ 2. $\mathbb{W}c4+$ $\mathbb{K}xc4\#$

1,25 points

1,25 points

1,25 points

1,25 points

1. $\mathbb{W}f5?$ $\mathbb{K}c6!$

variations

1

2

3

4

points


1,25

2,5

3,75

5

Q



S#3

(14+10)

K. Seetharaman

2. pl. 3. WCCT 1984-88 (*mirrored*)

1. $\mathbb{W}g5$ zz

1. - $\mathbb{Q}7 \sim (\mathbb{Q}xh5/\mathbb{Q}e8)$ 2. $\mathbb{Q}b6 \sim 3.f3+$ $\mathbb{K}xf3\#$

1. - $\mathbb{Q}e6$ 2. $\mathbb{Q}c5+$ $\mathbb{K}xc5$ 3. $f3+$ $\mathbb{K}xf3\#$

1. - $\mathbb{Q}f5$ 2. $\mathbb{W}e3+$ $\mathbb{K}xe3$ 3. $f3+$ $\mathbb{K}xf3\#$

1. - $\mathbb{Q}\sim(\mathbb{Q}c7/\mathbb{Q}d8)$ 2. $\mathbb{Q}b6 \sim 3.f3+$ $\mathbb{K}xf3\#$

1. - $\mathbb{Q}b4$ 2. $\mathbb{Q}c5+$ $\mathbb{K}xc5$ 3. $f3+$ $\mathbb{K}xf3\#$

1. - $\mathbb{Q}xc3$ 2. $\mathbb{Q}d4+$ $\mathbb{Q}xd4$ 3. $f3+$ $\mathbb{K}xf3\#$

1. - $exd6$ 2. $\mathbb{Q}c5+$ $dxc5$ 3. $f3+$ $\mathbb{K}xf3\#$

1. - $e6$ 2. $c5 \sim 3.f3+$ $\mathbb{K}xf3\#$

1. - $b5$ 2. $\mathbb{Q}bb6 \sim 3.f3+$ $\mathbb{K}xf3\#$

variations

1

2

3

4

5

6

7

8

9

points

0,5

1

1,75

2,25

3,75


3,25

4

4,5

5

R



S#6

(14+10)

H. Moser

3. Pr. feenschach 1990

1. $c6$

thr. 2. $\mathbb{Q}xf7+$ $\mathbb{K}xf7$ 3. $\mathbb{Q}d5+$ $\mathbb{K}xe6$ 4. $\mathbb{Q}f4+$ $\mathbb{K}e5$

5. $\mathbb{Q}d5+$ $\mathbb{K}f6$ 6. $\mathbb{Q}h5+$ $\mathbb{K}xh5\#$

1. - $\mathbb{Q}xe6$ 2. $\mathbb{Q}g6+$ $\mathbb{K}f5$ 3. $\mathbb{Q}xf7+$ $\mathbb{K}e4$ 4. $\mathbb{Q}g3+$ $\mathbb{K}e5$

5. $\mathbb{Q}h3+$ $\mathbb{K}f4$ 6. $\mathbb{Q}h5+$ $\mathbb{K}xh5\#$

1. - $\mathbb{Q}xc6$ 2. $\mathbb{Q}d5+$ $\mathbb{K}xe6$ 3. $\mathbb{Q}f6+$ $\mathbb{K}xf6$ 4. $\mathbb{Q}g6+$ $\mathbb{K}f5$

5. $\mathbb{Q}xf7+$ $\mathbb{K}e4$ 6. $\mathbb{Q}f3+$ $\mathbb{K}xf3\#$

variations

1

2

3

points

1,75

3,25

5